

From: [Voytilla, Marykay](#)
To: [Kelly, Joyce](#)
Cc: [Chu, Ed](#); [Hamlin, Tim](#); [Maxwell, Grady](#)
Subject: Re: Continued air problem and health
Date: Friday, September 05, 2014 10:14:27 AM

Joyce, I am out till Tuesday. GSA talked to lessor re: increased ventilation. Lessor will charge EPA if we want it. Waiting for cost estimate thru GSA. GSA is verifying that the venting provided by lessor meets terms of lease. Also expecting some info from GSA and hq re: industry stands for venting.

Sent from my iPhone

On Sep 5, 2014, at 6:11 AM, "Kelly, Joyce" <Kelly.Joyce@epa.gov> wrote:

Hi Mary Kay,

I was out yesterday and am in the Office until 11:30 today. Please let me know if you'd like to touch base.

Joyce

Joyce C. Kelly, Director
Office of Environmental Assessment
US EPA, 1200 Sixth Avenue, Suite 900, OEA-095
Seattle, WA 98101
206 553-4029

From: (b) (6)(b) (6)
Sent: Thursday, September 04, 2014 12:17 PM
To: Kelly, Joyce
Cc: Fleming, Sheila
Subject: Continued air problem and health

*Joyce,
Just to go on record again, since it does not appear we will ever be able to have EPA respond to staff indoor air concerns, or do real sampling for the correct parameters and detection levels, in a timely manner when the problems are occurring, I want you to know that yesterday I tried to work at my desk all day (rather than go to library or other locations). By about 3 pm I was having hoarseness and slight tingling sensations on my tongue again. It took longer to clear when I got home and I could not sleep well due to slight whizzing.*

I find the lack of management response and the lack of any information on what we have been exposed to in this remodeled 14th floor insulting. I do hope they can connect the dots when the next survey gives R10 management less than

worthless reviews.

(b)
(6)

(b) (6)(b) (6)(b) (6)(b) (6)

(b) (6)(b) (6)

*Office of Environmental Assessment
USEPA Region 10 (0EA-095)
1200 Sixth Ave., Suite 900
Seattle, WA 98101*

phone: (206) 553- (b)
